Your search matched **42** of **1099265** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:
You may refine your search by editing the current search expression or enteri new one in the text box.

differential amplifier and gain control Search

☐ Check to search within this result set

Results Key:
JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

---

1 **A 50 MHz CMOS differential amplifier channel for a laser range findi device**
Ruotsalainen, T.; Kostamovaara, J.;
Circuits and Systems, 1994. ISCAS '94., 1994 IEEE International Symposium on , Volume: 5 , 30 May-2 June 1994
Pages:89 - 92 vol.5

[Abstract] [PDF Full-Text (348 KB)] **IEEE CNF**

---

2 **GaAs HBT 0.75-5 GHz multifunctional microwave-analog variable ga amplifier**
Kobayashi, K.W.; Ip, K.T.; Oki, A.K.; Umemoto, D.K.; Claxton, S.; Pope, M.; J.;
Gallium Arsenide Integrated Circuit (GaAs IC) Symposium, 1993. Technical Di 1993., 15th Annual , 10-13 Oct. 1993
Pages:239 - 242

[Abstract] [PDF Full-Text (248 KB)] **IEEE CNF**

---

3 **Bipolar monolithic amplifiers for a gigabit optical repeater**
Ohara, M.; Akazawa, Y.; Ishihara, N.; Konaka, S.;
Solid-State Circuits, IEEE Journal of , Volume: 19 , Issue: 4 , Aug 1984
Pages:491 - 497

[Abstract] [PDF Full-Text (1184 KB)] **IEEE JNL**

---

4 **A 160 MHz BiCMOS differential amplifier channel with gain control f the receiver of a portable laser rangefinding device**
Ruotsalainen, T.; Palojarvi, P.; Kostamovaara, J.;
Circuits and Systems, 1995., Proceedings., Proceedings of the 38th Midwest

Symposium on , Volume: 2 , 13-16 Aug. 1995
Pages:1030 - 1033 vol.2

[Abstract] [PDF Full-Text (276 KB)] IEEE CNF

---

5 **A transferred-substrate HBT wide-band differential amplifier to 50 G**
Agarwal, B.; Lee, Q.; Pullela, R.; Mensa, D.; Guthrie, J.; Rodwell, M.J.W.;
Microwave and Guided Wave Letters, IEEE [see also IEEE Microwave and Wire Components Letters] , Volume: 8 , Issue: 7 , July 1998
Pages:263 - 265

[Abstract] [PDF Full-Text (92 KB)] IEEE JNL

---

6 **GaAs HBT 0.75-5 GHz multifunctional microwave-analog variable ga amplifier**
Kobayashi, K.W.; Ip, K.T.; Oki, A.K.; Umemoto, D.K.; Claxton, S.; Pope, M.; I J.;
Solid-State Circuits, IEEE Journal of , Volume: 29 , Issue: 10 , Oct. 1994
Pages:1257 - 1261

[Abstract] [PDF Full-Text (396 KB)] IEEE JNL

---

7 **A DC to 1-GHz differential monolithic variable-gain amplifier**
Meyer, R.G.; Mack, W.D.;
Solid-State Circuits, IEEE Journal of , Volume: 26 , Issue: 11 , Nov. 1991
Pages:1673 - 1680

[Abstract] [PDF Full-Text (476 KB)] IEEE JNL

---

8 **Variable gain differential current feedback amplifier**
Koudar, I.;
Custom Integrated Circuits Conference, 2004. Proceedings of the IEEE 2004 , Oct. 2004
Pages:659 - 662

[Abstract] [PDF Full-Text (496 KB)] IEEE CNF

---

9 **A CMOS "soft-switched" transconductor and its application in gain control and filters**
Mensink, C.H.J.; Nauta, B.; Wallinga, H.;
Solid-State Circuits, IEEE Journal of , Volume: 32 , Issue: 7 , July 1997
Pages:989 - 998

[Abstract] [PDF Full-Text (228 KB)] IEEE JNL

---

10 **A power-efficient, low-distortion variable gain amplifier consisting coupled differential pairs**
van Lieshout, P.J.G.; van de Plassche, R.J.;
Solid-State Circuits, IEEE Journal of , Volume: 32 , Issue: 12 , Dec. 1997
Pages:2105 - 2110

[Abstract] [PDF Full-Text (124 KB)] IEEE JNL

---

11 **Linear switching of the differential pair tail current**
Filanovsky, I.M.;
Circuits and Devices Magazine, IEEE , Volume: 12 , Issue: 5 , Sept. 1996
Pages:45

[Abstract] [PDF Full-Text (864 KB)] **IEEE JNL**

---

12 **Circuit design techniques for very low-voltage analog functional blc using triple-tail cells**
Kimura, K.;
Circuits and Systems I: Fundamental Theory and Applications, IEEE Transactic on [see also Circuits and Systems I: Regular Papers, IEEE Transactions on] , Volume: 42 , Issue: 11 , Nov. 1995
Pages:873 - 885

[Abstract] [PDF Full-Text (940 KB)] **IEEE JNL**

---

13 **A CMOS differential buffer amplifier with accurate gain and clipping control**
Chang, Z.Y.; Haspeslagh, D.;
Solid-State Circuits, IEEE Journal of , Volume: 30 , Issue: 7 , July 1995
Pages:731 - 735

[Abstract] [PDF Full-Text (424 KB)] **IEEE JNL**

---

14 **A single-chip bipolar AGC amplifier with large dynamic range for optical-fiber receivers operating up to 3 Gbit/s**
Reimann, R.; Rein, H.-M.;
Solid-State Circuits, IEEE Journal of , Volume: 24 , Issue: 6 , Dec. 1989
Pages:1744 - 1748

[Abstract] [PDF Full-Text (484 KB)] **IEEE JNL**

---

15 **dB-linear V-I converter using composite NMOS transistor**
Quoc-Hoang Duong; Trung-Kien Nguyen; Hoang-Nam Duong; Sang-Gug Lee;
Microelectronics, 2003. ICM 2003. Proceedings of the 15th International Conference on , 9-11 Dec. 2003
Pages:10 - 13

[Abstract] [PDF Full-Text (1481 KB)] **IEEE CNF**

---

1 2 3 Next

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ| Terms | Back to Top